

Receiver

Society
Reference
Address
Phone
Fax
E-mail

From

White International Pty Ltd
52-60 Ashford Avenue, Milperra, NSW, 2214
-
-
pumpsales@whiteint.com.au

Item n° :

102662040

Model :

JET 102 M-P

Pump data

Pressure rating : 6 bar (600 kPa)
Min. fluid temperature : 0 °C
Max. fluid temperature : 35 °C
Max. Temperature operating : 40 °C

Priming capacity :

H m	2	3	4	5	6	7	8	9
Q m³/h	3.06	2.82	2.46	2.28	2.04	1.68	1.38	1.08

Requested data

Flow : 0.00 m³/h
Head : 0.00 m
Fluid : Water, pure
Fluid Temperature : 20 °C
Density : 0.9983 kg/dm³
Kinematic viscosity : 1.005 mm²/s
Vapor pressure : 2.34 kPa



Hydraulic data (duty point)

Flow :
Head :

Materials

Pump body : Cast iron 200 UNI ISO 185
Support : Die cast aluminium
Impeller : Technopolymer A
Mechanical seal : Carbon/Ceramic
OR ring : NBR Rubber
Shaft with rotor : AISI 416 X12 CrS 13 UNI 6900/71
Diffuser : Technopolymer A

Curve tolerance according to ISO 9906



Motor data

Motor brand : DAB
Nominal power P2: 0.75 kW
Rated speed: 2800 1/min
Rated voltage : 1~ 220-240 V 50 Hz
Nominal current : 5.1 A
Degree of protection : IP 44

Dimensions in

mm

A	414	D	177	F	14	H2	203
A1	390	DNA	1" G	G	111	H3	144
B	263	DNM	1" G	H	239	I	9
C	108	E	192	H1	209	IO	-

Weight : 13.9 kg


Pump connection

Suction side : 1 " G / 6 bar (600 kPa)
Discharge side : 1 " G / 6 bar (600 kPa)

Receiver	From
Society Reference Address Phone Fax E-mail	White International Pty Ltd . 52-60 Ashford Avenue, Milperra, NSW, 2214 . . pumpsales@whiteint.com.au

JET 102 M-P

Curve tolerance according to ISO 9906



Hydraulic data (duty point)

Suction side 1 " G 6 bar (600 kPa)	Discharge side 1 " G 6 bar (600 kPa)	Flow : 0 m³/h	Head : 0 m	Rated speed: 2800 1/min
Project	Project ID	Created by	Created on 2014-06-05	


Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

White International Pty Ltd
-
52-60 Ashford Avenue, Milperra, NSW, 2214
-
-
pumpsales@whiteint.com.au

JET 102 M-P



Dimensions in mm

1	A	414	H	239		
2	A1	390	H1	209		
3	B	263	H2	203		
4	C	108	H3	144		
5	D	177	I	9		
6	DNA	1" G	I O	-		
7	DNM	1" G				
8	E	192				
9	F	14				
10	G	111				

Pump connection

Suction
1 " G
6 bar (600 kPa)

Discharge
1 " G
6 bar (600 kPa)

Project

Project ID

Created by

Created on

2014-06-05